Please amend the claims as follows:

C'

1. A method for mitigating or treating photophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, isomers thereof, or mixtures thereof, as the sole anti-migraine agents.

12

A method for mitigating or treating phonophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, isomers thereof, or mixtures thereof, as the sole anti-migraine agents.

13

The method of claim 1 wherein the amount of ibuprofen, isomers thereof, or mixtures thereof, is about 200 milligrams per dose.

The method of claim 1 wherein the amount of ibuprofen, isomers thereof, or mixtures thereof, is about 400 milligrams per dose.

The method of claim wherein the amount of ibuprofen, isomers thereof, or mixtures thereof, is about 200 milligrams per dose.

The method of claim A wherein the amount of ibuprofen, isomers thereof, or mixtures thereof, is about 400 milligrams per dose.

A method for mitigating or treating photophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, pharmaceutically acceptable salts thereof, isomers thereof, or mixtures thereof, as the sole anti-migraine agents,

wherein the pharmaceutically acceptable salts of ibuprofen are selected from the group consisting of organic salts of ibuprofen with pharmaceutically acceptable primary, secondary, tertiary, and quaternary amines.

Chr.

A method for mitigating or treating photophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, pharmaceutically acceptable salts thereof, isomers thereof, or mixtures thereof, as the sole anti-migraine agents, wherein the pharmaceutically acceptable salt of ibuprofen is:

- a) an inorganic cation salt selected from sodium, potassium, lithium, calcium, cesium, ammonia, ferrous, zinc, manganous, aluminum, ferric, and manganic;
- b) an organic salt of ibuprofen with primary, secondary, tertiary and quaternary amines selected from triethylamine, tripropylamine, 2-dimethylaminoethanol, 2-diethylaminoethanol, lysine, arginine, histidine, caffeine, procain, N-ethylpiperidine, hydrabamine, choline, betaine, ethylenediamine, glucosamine, TRIS(hydroxymethyl)aminomethane, methylglycamine, theobromine, pruines, piperazine, piperidine, and polyamine resins; or
 - c) mixtures thereof.

A method for mitigating or treating photophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, pharmaceutically acceptable salts thereof, isomers thereof, or mixtures thereof, as the sole anti-migraine agents, wherein the mixture is a mixture of ibuprofen and its potassium salt.

40

A method for mitigating or treating phonophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, pharmaceutically acceptable salts thereof, isomers thereof, or mixtures thereof, as the sole [pharmaceutically active ingredients] antimigraine agent,

wherein the pharmaceutically acceptable salts of ibuprofen are selected from the group consisting of organic salts of ibuprofen with pharmaceutically acceptable primary, secondary, tertiary, and quaternary amines.

A method for mitigating or treating phonophobia associated with migraine to a patient in need thereof comprising:

al de la company de la company

providing an effective amount of ibuprofen, pharmaceutically acceptable salts thereof, isomers thereof, or mixtures thereof, as the sole anti-migraine agent,

wherein the pharmaceutically acceptable salt of ibuprofen is:

- a) an inorganic cation salt selected from sodium, potassium, lithium, calcium, cesium, ammonia, ferrous, zinc, manganous, aluminum, ferric, and manganic;
- b) an organic salt of ibuprofen with primary, secondary, tertiary and quaternary amines selected from triethylamine, tripropylamine, 2-dimethylaminoethanol, 2-diethylaminoethanol, lysine, arginine, histidine, caffeine, procain, N-ethylpiperidine, hydrabamine, choline, betaine, ethylenediamine, glucosamine, TRIS(hydroxymethyl)aminomethane, methylglycamine, theobromine, pruines, piperazine, piperidine, and polyamine resins; or
 - c) mixtures thereof.

A method for mitigating or treating phonophobia associated with migraine to a patient in need thereof comprising:

providing an effective amount of ibuprofen, pharmaceutically acceptable salts thereof, isomers thereof, or mixtures thereof, as the sole anti-migraine agent,

wherein the mixture is a mixture of ibuprofen and its potassium salt.

The method of claim 12 wherein the amount of the pharmaceutically acceptable salts of ibuprofen is from about 100 to about 1700 milligrams per dose.

The method of claim 16 wherein the amount of the pharmaceutically acceptable salts of ibuprofen is from about 100 to about 1700 milligrams per dose.

The method of claim 12 wherein the amount of the mixtures of ibuprofen, isomers thereof, and pharmaceutically acceptable salts thereof is from about 100 to about 1700 milligrams per dose.

The method of claim 12 wherein the amount of the mixtures of ibuprofen, isomers thereof, and pharmaceutically acceptable salts thereof is from about 200 to about 1300 milligrams per dose.

